

GCI/M/15-16/205 (16-16)



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986)

(No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001:2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No.: - GCI/V/LAB/EM-G0134/15-SP/15-16/December-00/0867

Date: 05/01/2016

ANALYSIS REPORT (For the Month of December- 2015)

Client Details		Sample Details	
Name	M/s. Deepak Fertilizers & Petrochemicals Corporation Ltd.	Sample Code	GCI/V/15/L5/N1 to N4
Address	Plot K1, MIDC Industrial Area, P.O Talaja, A.V, 410208 Dist. Raigad, Maharashtra, India	Location	As per table
		Quantity	NA
		Sampling Instrument	Sound Level Meter (Lutron/SL-4023SD)
Date of Measurement	28/12/2015	Measurement Done By	Mr. Akrur
		Sampling Method	Lutron/SL-4023SD Inst. Manual

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time			Night Time		
			Sampling time	Results	Limit	Sampling time	Results	Limit
1.	Near Main Gate	dB (A)	10:40	59.4	75.0	22:05	54.7	70.0
2.	Near IPA Gate No.3	dB (A)	11:25	64.4	75.0	22:15	60.7	70.0
3.	Near ANP Gate	dB (A)	11:50	64.2	75.0	22:20	61.1	70.0
4.	Near Valavli Gaon	dB (A)	12:40	49.1	55.0	22:50	43.3	45.0

Remark: Results are within limit as per Maharashtra pollution control Board.

Note: Day Time is reckoned between 6 am to 10 pm & Night Time between 10 pm to 6 am

Shetal

Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports can not be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & R & D : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
Tel. : +91 - 265 - 2371269 Cell : +91 93285 83835 E-mail : info@greencircleinc.com Website : www.greencircleinc.com

: ALSO AT :

NEWDELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

: OVERSEAS :

AUSTRALIA OMAN KUWAIT AFRICA VIETNAM BANGLADESH MYANMAR SRILANKA UAE



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986)
(No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001:2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No.: - GCI/V/LAB/EM-G0134/15-SP/15-16/November-00/0746

Date: 10/12/2015

ANALYSIS REPORT (For the Month of November- 2015)

Client Details		Sample Details	
Name	M/s. Deepak Fertilizers & Petrochemicals Corporation Ltd.	Sample Code	GCI/V/15/L8/N1 to N4
Address	Plot K1, MIDC Industrial Area, P.O Talaja, A.V. 410208 Dist. Raigad, Maharashtra, India	Location	As per table
		Quantity	NA
		Sampling Instrument	Sound Level Meter (Lutron/SL-4023SD)
Date of Measurement	24/11/2015	Measurement Done By	Mr. Satyawan
		Sampling Method	Lutron/SL-4023SD Inst. Manual

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time			Night Time		
			Sampling time	Results	Limit	Sampling time	Results	Limit
1.	Near Main Gate	dB (A)	10:45	58.4	75.0	22:15	55.3	70.0
2.	Near IPA Gate No.3	dB (A)	11:20	66.5	75.0	22:20	61.4	70.0
3.	Near ANP Gate	dB (A)	11:55	63.2	75.0	22:45	60.6	70.0
4.	Near Valavli Gaon	dB (A)	12:45	46.6	55.0	22:55	42.2	45.0

Remark: Results are within limit as per Maharashtra pollution control Board.

Note: Day Time is reckoned between 6 am to 10 pm & Night Time between 10 pm to 6 am


Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports can not be used as evidence anywhere including Judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & R & D : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
Tel. : +91 - 265 - 2371269 Cell : +91 93285 83835 E-mail : info@greencircleinc.com Website : www.greencircleinc.com

: ALSO AT :

NEWDELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

: OVERSEAS :

AUSTRALIA OMAN KUWAIT AFRICA VIETNAM BANGLADESH MYANMAR SRILANKA UAE



GCI/M/15-16/147

GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986)
(No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001:2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No.: - GCI/V/LAB/EM-G0134/15-SP/15-16/October-00/0671

Date: 02/11/2015

ANALYSIS REPORT (For the Month of October- 2015)

Client Details		Sample Details	
Name	M/s. Deepak Fertilizers & Petrochemicals Corporation Ltd.	Sample Code	GCI/V/15/J5/N1 to N4
Address	Plot K1, MIDC Industrial Area, P.O Taloja, A.V, 410208 Dist. Raigad, Maharashtra, India	Location	As per table
		Quantity	NA
Date of Measurement	27/10/2015	Sampling Instrument	Sound Level Meter (Lutron/SL-4023SD)
Measurement Done By	Mr. Satyawan	Sampling Method	Lutron/SL-4023SD Inst. Manual

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time			Night Time		
			Sampling time	Results	Limit	Sampling time	Results	Limit
1.	Near Main Gate	dB (A)	10:55	60.2	75.0	22:10	58.4	70.0
2.	Near IPA Gate No.3	dB (A)	11:15	68.9	75.0	22:25	64.3	70.0
3.	Near ANP Gate	dB (A)	11:45	64.9	75.0	22:40	62.2	70.0
4.	Near Valavli Gaon	dB (A)	12:40	44.4	55.0	22:55	43.4	45.0

Remark: Results are within limit as per Maharashtra pollution control Board.

Note: Day Time is reckoned between 6 am to 10 pm & Night Time between 10 pm to 6 am

Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports can not be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & R & D : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.
Tel. : +91 - 265 - 2371269 Cell : +91 93285 83835 E-mail : info@greencircleinc.com Website : www.greencircleinc.com

: ALSO AT :

NEWDELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

: OVERSEAS :

AUSTRALIA OMAN KUWAIT AFRICA VIETNAM BANGLADESH MYANMAR SRILANKA UAE



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(ISO 9001-2008, 14001:2004, 17025:2005 & OHSAS 18001:2007 Certified Organization)
(MoEF Recognised & Approved by Environmental Laboratory)

GCI / M / 15 / 127 (20-10-25)
HSEQR Consulting, Environmental Laboratory & Training Services Offered

- Environmental Clearance-Industrial, Infra & CRZ (MoEF/SEAC/BE/IA/CRZ)
- Environmental Impact Assessment & EMP
- Environmental Due Diligence
- Environmental Site Assessment (Level I, II)
- Environmental Monitoring & Analysis / Work place Monitoring
- Feasibility & Treatability Study
- Rain Water Harvesting & Water Audit
- ETP/STP Turnkey Solutions, O & M Annual Contracts
- HAZOP, HAZROP, HAZAN, HAZID, Job Safety Analysis (JSA)
- HSE System Gap Assessment & Industrial Hygiene Services
- Process Hazard Analysis, HAZID, PSM
- Safety Report, Risk Analysis / Assessment & CRA
- On-Site & Off-Site Emergency Plan DMP & Mock Drill
- Environmental & Safety Management In-Plant Training
- ISO 9001, 14001, OHSAS 18001 - Consultancy & Training

Report No.: - GCI/V/LAB/EM-G0134/15-SP/15-16/September-00/0606

Date: 05/10/2015

ANALYSIS REPORT (For the Month of September- 2015)

Client Details		Sample Details	
Name	M/s. Deepak Fertilizers & Petrochemicals Corporation Ltd.	Sample Code	GCI/V/15/I5/N1 to N4
Address	Plot K1, MIDC Industrial Area, P.O Talaja, A.V, 410208 Dist. Raigad, Maharashtra, India	Location	As per table
		Quantity	NA
Date of Measurement	30/09/2015	Sampling Instrument	Sound Level Meter (Lutron/SL-4023SD)
Measurement Done By	Mr. Rohit	Sampling Method	Lutron/SL-4023SD Inst. Manual

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time			Night Time		
			Sampling time	Results	Limit	Sampling time	Results	Limit
1.	Near Main Gate	dB (A)	11:20	61.7	75.0	22:10	56.6	70.0
2.	Near IPA Gate No.3	dB (A)	11:45	70.1	75.0	22:25	67.7	70.0
3.	Near ANP Gate	dB (A)	12:10	65.5	75.0	22:45	61.9	70.0
4.	Near Valavli Gaon	dB (A)	14:20	43.8	55.0	00:10	42.8	45.0

Remark: Results are within limit as per Maharashtra pollution control Board.

Note: Day Time is reckoned between 6 am to 10 pm & Night Time between 10 pm to 6 am



- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports can not be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & R & D MUMBAI : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, VADODARA - 390 021 (Gujarat), INDIA.
Tel. : +91 - 265 - 2371269 Cell : +91 93285 83835 E-mail : info@greencircleinc.com Website : www.greencircleinc.com
: 6, Ground Floor, Shakuntala Niwas, M. G. Road, Opp. G. H. School, Borivali (E), Mumbai - 400 066 India.
Cell : +91 99875 49920 Tel. : +91 - 22 - 28943090 / 60

ALSO AT :

NEW DELHI GOA PUNE BENGALURU U. K. HYDERABAD KOLKATA DHARWAD

OVERSEAS :

AUSTRALIA OMAN KUWAIT AFRICA VIETNAM UAE BANGLADESH MYANMAR SRILANKA



GCI/M/15-16/113

GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986)
(No. Q - 1508 / 32 / 2007 -CPW)

(ISO 9001:2008, 14001:2004, OHSAS 18001:2007 & NABL/ISO/IEC 17025 : 2005 Certified Organisation)

Report No.: - GCI/V/LAB/EM-G0134/15-SP/15-16/August-00/0491

Date: 04/09/2015

ANALYSIS REPORT (For the Month of August- 2015)

Client Details		Sample Details	
Name	M/s. Deepak Fertilizers & Petrochemicals Corporation Ltd.	Sample Code	GCI/V/15/H5/N1 to N4
Address	Plot K1, MIDC Industrial Area, P.O Talaja, A.V. 410208 Dist. Raigad, Maharashtra, India	Location	As per table
		Quantity	NA
		Sampling Instrument	Sound Level Meter (Lutron/SL-4023SD)
Date of Measurement	26/08/2015	Sampling Method	Lutron/SL-4023SD Inst. Manual
Measurement Done By	Mr. Kartik		

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time			Night Time		
			Sampling time	Results	Limit	Sampling time	Results	Limit
1.	Near Main Gate	dB (A)	10:30	60.2	75.0	10:15	53.2	70.0
2.	Near IPA Gate No.3	dB (A)	10:40	69.5	75.0	10:25	59.7	70.0
3.	Near ANP Gate	dB (A)	10:55	62.2	75.0	10:35	56.3	70.0
4.	Near Valavli Gaon	dB (A)	17:15	53.5	55.0	10:50	43.2	45.0

Remark: Results are within limit as per Maharashtra pollution control Board.

Note: Day Time is reckoned between 6 am to 10 pm & Night Time between 10 pm to 6 am


Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports can not be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, VADODARA-390 021 (Gujarat), INDIA.
R & D Tel. : 0091- 265 - 2371269, Cell : 009193285 83835 E-mail : info@greencircleinc.com, Website : www.greencircleinc.com

: ALSO AT :

NEW DELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

: OVERSEAS :

AUSTRALIA OMAN KUWAIT AFRICA VIETNAM UAE BANGLADESH MYANMAR SRILANKA



GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986)
(No. Q - 1508 / 32 / 2007 -CPW)

(ISO 9001:2008, 14001:2004, OHSAS 18001:2007 & NABL/ISO/IEC 17025 : 2005 Certified Organisation)

Report No.: - GCI/V/LAB/EM-G0134/15-SP/15-16/July-00/0423

Date:08/08/2015

ANALYSIS REPORT (For the Month of July- 2015)

Client Details		Sample Details	
Name	M/s. Deepak Fertilizers & Petrochemicals Corporation Ltd.	Sample Code	GCI/V/15/H1/N1 to N4
Address	Plot K1, MIDC Industrial Area, P.O Taloja, A.V, 410208 Dist. Raigad, Maharashtra, India	Location	As per table
		Quantity	NA
		Sampling Instrument	Sound Level Meter (Lutron/SL-4023SD)
Date of Measurement	31/07/2015	Sampling Method	Lutron/SL-4023SD Inst. Manual
Measurement Done By	Mr. Karik		

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time			Night Time		
			Sampling time	Results	Limit	Sampling time	Results	Limit
1.	Near Main Gate	dB (A)	10:05	61.1	75.0	10:10	54.0	70.0
2.	Near IPA Gate No.3	dB (A)	10:20	69.8	75.0	10:20	59.5	70.0
3.	Near ANP Gate	dB (A)	10:45	63.0	75.0	10:30	57.2	70.0
4.	Near Valavli Gaon	dB (A)	11:05	58.3	75.0	10:45	50.6	70.0

Remark: Results are within limit as per Maharashtra pollution control Board.

Note: Day Time is reckoned between 6 am to 10 pm & Night Time between 10 pm to 6 am


Authorized Signatory

- Analysis is subject to the condition in which the sample is received at our Laboratory.
- Reports can not be used as evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained fill one month from the date of sampling.

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, VADODARA-390 021 (Gujarat), INDIA.
R & D Tel. : 0091- 265 - 2371269, Cell : 009193285 83835 E-mail : info@greencircleinc.com, Website : www.greencircleinc.com

: ALSO AT :

NEW DELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

: OVERSEAS :

AUSTRALIA OMAN KUWAIT AFRICA VIETNAM UAE BANGLADESH MYANMAR SRILANKA