



DEEPAK FERTILISERS
AND PETROCHEMICALS
CORPORATION LIMITED

Ref:MoEF/EC/K-7/011219

Date: 28 Nov 2019

To,
Director(S)
Ministry of Environment, Forest & Climate Change,
Regional Office (WCZ),
Ground Floor, East Wing,
New Secretariate Building, Civil Lines
Nagpur – 440 001.

Sub: Six monthly Compliance report for EC No. J-11011/481/2007-IA-II(I) dated 05/12/2007.

Dear Sir,

We are submitting herewith the six monthly compliance report (April 2019 to September 2019) for Environment Clearance No. J-11011/481/2007-IA-II(I) dated 05/12/2007 issued to our Bentonite Sulphur plant at Plot K-7, MIDC Industrial Area, Taloja, Dist. Raigad.

Also note that the Name of the company is changed from M/s Deepak Fertilisers and Petrochemicals Corporation Limited to **M/s Smartchem Technologies Limited** vide National Company Law Tribunal (NCLT) Order No. 89 of 2017 dated 30th March, 2017.

We have communicated the same to your good offices on 29/05/2017 through Registered Post.

Thanking you,

Yours faithfully,

For, DEEPAK FERTILISERS AND PETROCHEMICALS CORPORATION LIMITED,

DEEPAK PANDE
Head (EHS)

CC : Regional Officer, MPCB, CBD-Belapur, Navi Mumbai

DATA SHEET

1	Project type: River - valley/ Mining / Thermal/ Industry / Nuclear/ Other (specify)	Industry
2	Name of the project	Manufacture of Bentonite-Sulphur-Pastilles (50000 TPA) at Plot No K7 of MIDC Industrial Area, District Raigad, Maharashtra by M/s Deepak Fertilizers and Petrochemicals Corporation Ltd.
3	Clearance letter (s) /OM No. and Date	EC granted for Bentonite Sulphur Project vide file no. J-11011/481/2007-IA-II(I) dt 05/12/2007
4	Location	
	a. District (S)	Raigad
	b. State (S)	Maharashtra
	c. Latitude/longitude	
5	Address for correspondence	
	a. Address of Concerned Project Chief Engineer (with pin code & Telephone/ telex/ fax numbers	Mr. Deepak Pande (Sr.GM-EHS), M/s Deepak Fertilisers & Petrochemicals Corporation Ltd. Plot No. K-7, MIDC Industrial area, Taloja, District Raigad – 410208, Maharashtra. Phone: - 022-50684221, 9920942161
	b. Address of Executive Project: Engineer/Manager (with pincode/ Fax numbers)	Same as above
6	Salient features	
	a. of the project	Bentonite Sulphur Pastilles are manufactured which is used as fertilizer.
	b. of the environmental management plans	Periodic monitoring of particulate matter is carried out by third party and results are less than 50 mg/Nm3
7	Break up of the project area	
	a. submergence area forest & non forest	NA, (MIDC Land)
	b. Others	NA
8	Break up of the project affected Population with enumeration of Those losing houses/dwelling units Only agricultural land only, both Dwelling units & agricultural Land & landless labourers/artisan	NA, (MIDC Land)
	a. SC, ST/Adivasis	NA, (MIDC Land)
	b. Others (Please indicate whether these Figures are based on any scientific And systematic survey carried out Or only provisional figures, it a Survey is carried out give details And years of survey)	NA
9	Financial details.	
	a. Project cost as originally planned and subsequent revised estimates and the year of price reference	Rs. 40 Crores but Rs. 14.53 Crores are invested for 25,000 MT/A of production during the year 2007.
	b. Allocation made for environmental management plans with item wise and year wise Break-up.	Yes. Rs. 25,000 for plantation Year 2008-09 Rs. 25,000 for plantation Year 2009-10 Rs. 12,000 for plantation Year 2010-11 Rs. 50,000 for plantation Year 2011-12 for Plot K-1 to K-8. Year 2012-13 for Plot K-1 to K-8. 1)Rs 10 lakhs for plantation. Year 2013-14 for Plot K-1 to K-8. 1)Rs 5 lakhs for plantation. Year 2014-15 for Plot K-1 to K-8. 1)Rs 5 lakhs for plantation. 2)Rs 1.5 lakhs- Weather Monitoring Station. Year 2015-16 for Plot K-1 to K-8. 1)Rs 5 lakhs for plantation. Year 2016-17 for Plot K-1 to K-8. 1)Rs 5 lakhs for plantation. 2)Rs 3.9 lakhs - AMC for Online Emission & Effluent Quality Monitoring System. Year 2017-18 for Plot K-1 to K-8. 1)Rs 48 lakhs for plantation 2)Rs 3.9 lakhs - AMC for Online Emission & Effluent Quality Monitoring System. Year 2018-19 for Plot K-1 to K-8. 1)Rs 20.68 lakhs for plantation year 2018-19 for Plot K-1 to K-8. 2)Rs 3.9 lakhs - AMC for Online Emission & Effluent Quality Monitoring System. 3)Rs 0.15 lakhs – Diversion of positive discharge of treated effluent line
	c. Benefit cost ratio/Internal rate of Return and the year of assessment	
	d. Whether (c) includes the Cost of environmental management as shown in the above.	Yes
	e. Actual expenditure incurred on the project so far.	Rs. 14.53 Crores
	f. Actual expenditure incurred on the environmental management plans so far	Rs. 99,80,000 for plantation
10	Forest land requirement	
	a. The status of approval for diversion of forest land for non-forestry use	NA, (MIDC Land)
	b. The status of compensatory afforestation program in the light of actual field experience so far	NA, (MIDC Land)
11	The status of clear felling in Non-forest areas (such as submergence area of reservoir, approach roads), it any with quantitative information	NA, (MIDC Land)
12	Status of construction	
	a. Date of commencement (Actual and/or planned)	Year 2007
	b. Date of completion (Actual and/of planned)	31 July 2008
13	Reasons for the delay if the Project is yet to start	NA
14	Dates of site visits	
	a. The dates on which the project was monitored by the Regional Office on previous Occasions, if any	NA
	b. Date of site visit for this monitoring report	NA
15	Details of correspondence with Project authorities for obtaining Action plans/information on 5 status of compliance to safeguards Other than the routine letters for Logistic support for site visits)	NA

Compliance Status to Environment Clearance No. J-11011/481/2007-IA-II(I) dated 05/12/2007 for Bentonite Sulphur

SN	Specific Conditions	Status of compliance as on 30/09/19
i)	<p>a) Adequate chimney height, hoods, exhaust fans, exhaust ducts and scrubbers shall be provided to control emissions from boiler and DG set as per standards / norms.</p> <p>b) The molten Sulphur tank and mixing tank shall be provided with vents connected to filters to absorb the Sulphur and should be neutralized by using clay to control particulate matter less than 50 mg/nm³ or standards prescribed by the MPCB whichever are more stringent.</p> <p>c) Periodic monitoring of vents shall be carried out and reports submitted to the Ministry's Regional Office at Bhopal/MPCB/CPCB.</p>	<p>a) Not applicable as neither Boiler nor DG Set are installed at K-7.</p> <p>b) Solid sulphur is not used in mixing tank, molten sulphur is used and hence there are no dust missions. Blower is provided to Mixing Tank.</p> <p>c) Periodic monitoring of particulate matter is carried out by third party & the results are well within limit. (Annexure - 1)</p>
ii)	<p>High level vents and fume extraction system shall be provided to the molten Sulphur tank and mixing tank to control emissions.</p>	<p>Fume extraction system /blower is provided to control fugitive emissions.</p>
iii)	<p>a) Total water requirement from MIDC supply and effluent generation shall not exceed 31 m3/day and 7.5 m3/day respectively. No ground water shall be used. 'Permission' for the drawl of 31 m3/day shall be obtained from the concerned Department. All the effluent containing minor doses of phosphates, biocides, Sulphur dust and Bentonite Clay shall be properly treated and clear liquid shall be sent to CETP at Taloja for further treatment. Project authorities shall ensure valid 'Membership' to CETP.</p> <p>b) Domestic effluent shall be treated in septic tank followed by soak pit.</p>	<p>a) The water consumption is within the limits specified. Effluent is treated suitably & disposed to CETP, Taloja. Membership Certificate from CETP is obtained.</p> <p>b) Septic tank & soak pit are provided.</p>
iv)	<p>Total water requirement should not exceed 2800 m3/day as per permission accorded by MIDC vide letters dated 03.03.04 and 07.07.05. Further, efforts shall be made for further conservation of water and utilization of waste water.</p>	<p>a) Solid/Hazardous waste is recycled back into process as per the requirement. Balance solid waste is stored properly and sold to authorized customers.</p> <p>b) The used oil is sold to registered recyclers.</p>
v)	<p>As proposed, green belt of adequate width and density shall be developed in 1.175 acres out of total 4.7 acres (25%) area to mitigate the effects of fugitive emissions all around the plant as per the CPCB guidelines.</p>	<p>Around 31 % of plot area is developed as Green belt. In addition to this, green belt on 50 acre of degraded forest land is also developed at Dhavdi Village which is located near Dombivali which approximately 15 kms away from our site.</p>

SN	General Conditions	Status of compliance as on 30/09/19
i)	The project authorities must strictly adhere to the all stipulations made by the MPCB and State Govt.	Noted and complied with.
ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the MoEF. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required ,if any.	Noted.
iii)	The gaseous emissions (SO ₂ and NO _x) and particulate matters from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system (s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	Gaseous emissions are monitored periodically by MOEF approved third party laboratory and results are within the stipulated standards. (Annexure - 1)
iv)	Ambient air quality monitoring stations shall be set up in the down wind direction as well as where maximum ground level concentration of SPM are anticipated in consultation with the State Pollution Control Board. Regular ambient air quality monitoring including RSPM shall be carried out and data submitted to Ministry's Regional Office at Bhopal/MPCB/CPCB.	Ambient air quality monitoring is carried out by third party at various locations periodically. (Annexure - 2)
v)	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. On all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night-time).	Ambient noise levels are checked periodically and results are within the norms.
vi)	Occupational Health Surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Periodical medical check up is carried out for all employees and Health Register (Form 7) is maintained.
vii)	The project authorities shall provide adequate funds for environmental pollution control measures to implement the conditions stipulated by the MoEF as well as State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purposes.	The manufacturing facility is covered under the Public Liability Insurance (PLI) Policy under which premium for Environment Relief Fund (ERF) is paid to the Insurance Company. (Annexure - 3)

SN	General Conditions	Status of compliance as on 30/09/19
viii)	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management & Handling) Rules, 2003. Authorization from the MPCB shall be obtained for collections/treatment, storage/disposal of hazardous wastes.	Authorization through CTO, valid till 30/09/2020, is obtained from MPCB for collection, treatment, storage and disposal of hazardous waste.
ix)	The stipulated conditions shall be monitored by the Regional office of this Ministry at Bhopal / MPCB. A six monthly compliance report and the monitored data shall be submitted regularly.	Six monthly compliance reports are being sent to regional office of MOEF and MPCB.
x)	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of clearance letter are available with MPCB / Committee and may also be seen at Website of the MoEF at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional office.	Complied with.

List of Annexures Submitted	
Annexure. No.	Content
1	Stack Monitoring Reports
2	Ambient Air Monitoring Reports
3	Public Liability Insurance (PLI) Policy



GADARK LAB PVT. LTD.

INDUSTRIAL ANALYSTS & CONSULTANTS

LAB. : H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525.

Tel. : (02362) 223519 • E-mail : info@gadark.in • Website : www.gadark.in

OFF. : 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83.
Tel. : (022) 25777069 / 70

TEST CERTIFICATE

Doc.No : GLPL/QF/5.10/01

Test Certificate No.	GA/18/04/167... Contd.	T. C. Date	17/04/2019
Customer Name and Address	M/s. SMARTCHEM TECHNOLOGIES LIMITED PLOT K-7, MIDC INDUSTRIAL AREA, TALOJA, A.V. 410 208, DIST. - RAIGAD		
Letter Ref / Date .	---		
Sampling Done By	GLPL	Page No.	1 of 1
Sample Received on	12/04/2019	Analysis Period	13/04/2019 To 15/04/2019

SAMPLING DETAILS - STACK EMISSION

Stack Attached to	Bensulf Feed Tank Exhaust
Stack Dimension [mm]	152
Stack Height [Meter]	8
Date of Sample collection	12/04/2019
Time of Sampling [Hrs]	15:00
Temperature of flue gas [°C]	52
Average flue gas velocity [m/s]	8.7
Average volume of flue gas discharged [Nm ³ /hr]	518

ANALYSIS REPORT :

Parameters	Units	Results	Test Methods
TPM / SPM	mg/Nm ³	10.9	Laboratory Analytical Techniques / 80 / 2013-14 / CPCB
	Kg/day	0.14	
Sulphur Dioxide	mg/Nm ³	23.2	
	Kg/day	0.29	

End

For GADARK LAB PVT. LTD.

AUTHORISED SIGNATORY
[KAILAS V. CHITALKAR]

CHECKED BY

Note :

1. The results relate only to the samples tested
2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
4. Test Results relate only to the conditions prevailing at the time of sampling
5. Customer complaint register is available at laboratory.



GADARK LAB PVT. LTD.

INDUSTRIAL ANALYSTS & CONSULTANTS

LAB. : H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525.

Tel. : (02362) 223519 • E-mail : info@gadark.in • Website : www.gadark.in

OFF. : 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83.
Tel. : (022) 25777069 / 70

TEST CERTIFICATE

Doc.No : GLPL/QF/5.10/01

Test Certificate No.	GA/18/04/167	T. C. Date	17/04/2019
Customer Name and Address	M/s. SMARTCHEM TECHNOLOGIES LIMITED PLOT K-7, MIDC INDUSTRIAL AREA, TALOJA, A.V. 410 208, DIST. - RAIGAD		
Letter Ref / Date .	---		
Sampling Done By	GLPL	Page No.	1 of 1
Sample Received on	12/04/2019	Analysis Period	13/04/2019 To 15/04/2019

SAMPLING DETAILS - STACK EMISSION

Stack Attached to	Accudrop Stack
Stack Dimension [mm]	400
Stack Height [Meter]	--
Date of Sample collection	12/04/2019
Time of Sampling [Hrs]	15:30
Temperature of flue gas [°C]	47
Average flue gas velocity [m/s]	8.7
Average volume of flue gas discharged [Nm ³ /hr]	3645

ANALYSIS REPORT :

Parameters	Units	Results	Test Methods
TPM / SPM	mg/Nm ³	11.1	Laboratory Analytical Techniques / 80 / 2013-14 / CPCB
	Kg/day	0.97	
Sulphur Dioxide	mg/Nm ³	16.1	
	Kg/day	1.42	

End

For GADARK LAB PVT. LTD.

AUTHORISED SIGNATORY
[KAILAS V. CHITALKAR]

CHECKED BY

Note :

1. The results relate only to the samples tested
2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
4. Test Results relate only to the conditions prevailing at the time of sampling
5. Customer complaint register is available at laboratory.



GADARK LAB PVT. LTD. ✓

INDUSTRIAL ANALYSTS & CONSULTANTS

LAB. : H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525.

Tel. : (02362) 223519 • E-mail : info@gadark.in • Website : www.gadark.in

OFF. : 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83.
Tel. : (022) 25777069 / 70

TEST CERTIFICATE

Doc.No : GLPL/QF/5.10/01

Test Certificate No.	GA/19/07/254	T. C. Date	20/07/2019
Customer Name and Address	M/s. SMARTCHEM TECHNOLOGIES LIMITED PLOT K-7, MIDC INDUSTRIAL AREA, TALOJA, A.V. 410 208, DIST. - RAIGAD		
Letter Ref / Date .	---		
Sampling Done By	GLPL	Page No.	1 of 1
Sample Received on	17/07/2019	Analysis Period	18/07/2019 To 19/07/2019

SAMPLING DETAILS - STACK EMISSION

Stack Attached to	Pastillator Stack
Stack Dimension [mm]	400
Stack Height [Meter]	10
Date of Sample collection	17/07/2019
Time of Sampling [Hrs]	14:25
Temperature of flue gas [°C]	56
Average flue gas velocity [m/s]	5.9
Average volume of flue gas discharged [Nm ³ /hr]	2428

ANALYSIS REPORT :

Parameters	Units	Results	M.P.C.B. Limits	Test Methods
TPM / SPM	mg/Nm ³	10.1	100.0	Laboratory Analytical Techniques / 80 / 2013-14 / CPCB
	Kg/day	0.59		
Sulphur Dioxide	mg/Nm ³	27.7	Not Specified	
	Kg/day	1.62		

End

For GADARK LAB PVT. LTD.

AUTHORISED SIGNATORY
[KAILAS V. CHITALKAR]

CHECKED BY

Note :

1. The results relate only to the samples tested
2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
4. Test Results relate only to the conditions prevailing at the time of sampling
5. Customer complaint register is available at laboratory.



GADARK LAB PVT. LTD.

INDUSTRIAL ANALYSTS & CONSULTANTS

LAB. : H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525.

Tel. : (02362) 223519 • E-mail : info@gadark.in • Website : www.gadark.in

OFF. : 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83.
Tel. : (022) 25777069 / 70

TEST CERTIFICATE

Doc.No : GLPL/QF/5.10/01

Test Certificate No.	GA/19/07/255	T. C. Date	20/07/2019
Customer Name and Address	M/s. SMARTCHEM TECHNOLOGIES LIMITED PLOT K-7, MIDC INDUSTRIAL AREA, TALOJA, A.V. 410 208, DIST. - RAIGAD		
Letter Ref / Date .	---		
Sampling Done By	GLPL	Page No.	1 of 1
Sample Received on	17/07/2019	Analysis Period	18/07/2019 To 19/07/2019

SAMPLING DETAILS - STACK EMISSION

Stack Attached to	Batch and Feed Tank
Stack Dimension [mm]	152
Stack Height [Meter]	10
Date of Sample collection	17/07/2019
Time of Sampling [Hrs]	13:30
Temperature of flue gas [°C]	64
Average flue gas velocity [m/s]	7.5
Average volume of flue gas discharged [Nm ³ /hr]	431

ANALYSIS REPORT :

Parameters	Units	Results	M.P.C.B. Limits	Test Methods
TPM / SPM	mg/Nm ³	8.3	100.0	Laboratory Analytical Techniques / 80 / 2013-14 / CPCB
	Kg/day	0.09		
Sulphur Dioxide	mg/Nm ³	22.8	Not Specified	
	Kg/day	0.24		

End

For GADARK LAB PVT. LTD.


AUTHORISED SIGNATORY
[KAILAS V. CHITALKAR]


CHECKED BY

Note :

1. The results relate only to the samples tested
2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
4. Test Results relate only to the conditions prevailing at the time of sampling
5. Customer complaint register is available at laboratory.



GADARK LAB PVT. LTD.

INDUSTRIAL ANALYSTS & CONSULTANTS

LAB. : H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525.

Tel. : (02362) 223519 • E-mail : info@gadark.in • Website : www.gadark.in

OFF. : 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83.
Tel. : (022) 25777069 / 70

TEST CERTIFICATE

Doc.No : GLPL/QF/5.10/01

Test Certificate No.	GA/19/04/168	T. C. Date	17/04/2019
Customer Name and Address	M/s. SMARTCHEM TECHNOLOGIES LIMITED PLOT K-7, MIDC INDUSTRIAL AREA, TALOJA, A.V. 410 208, DIST. - RAIGAD		
Letter Ref / Date .	---		
Sampling Done By	GLPL	Page No.	1 of 1
Sample Received on	12/04/2019	Analysis Period	13/04/2019 To 17/04/2019

SAMPLING DETAILS - AMBIENT AIR MONITORING

Sampling Location	Near Bensulf Plant at Plot K-7			
Date of Sampling	11/04/2019			
Time of Sampling [Hrs]	17:00			
Duration of Sampling [Hrs]	24			
Ambient Temperature [°C]	Min.	29	Max.	36
Relative Humidity [%]	Min.	40	Max.	69

ANALYSIS REPORT

Parameters	Unit	Results	*N.A.A.Q.S.	Methods
PM ₁₀	µg/m ³	68.5	100.0	NAAQMS/36/2012-2013 Volume 1
PM _{2.5}	µg/m ³	34.2	60.0	NAAQMS/36/2012-2013 Volume 1
SO ₂	µg/m ³	35.7	80.0	IS 5182 (Part II) 2012
NO ₂	µg/m ³	33.9	80.0	IS 5182 (Part VI) 2012
CO	mg/m ³	1.32	2.0 for 8 Hrs.	IS 5182 (Part X) 1999
Lead	µg/m ³	0.08	1.0	NAAQMS/36/2012-2013 Volume 1
Ozone	µg/m ³	10.99	100.0 for 8 Hrs.	APHA Method 411 3 rd Edition
Ammonia	µg/m ³	18.06	400.0	APHA Method 401 3 rd Edition
Benzene	µg/m ³	< 1.0	5.0	IS 5182 (Part 11) 2006
Benzo Pyrene	ng/m ³	< 0.1	1.0	IS 5182 (Part 12):2004
Arsenic	ng/m ³	< 0.7	6.0	NAAQMS/36/2012-2013 Volume 1
Nickel	ng/m ³	11.04	20.0	NAAQMS/36/2012-2013 Volume 1

*N.A.A.Q.S. - National Ambient Air Quality Standards

End

For GADARK LAB PVT. LTD.

AUTHORISED SIGNATORY
[KAILAS V. CHITALKAR]

CHECKED BY

Note :

1. The results relate only to the samples tested
2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
4. Test Results relate only to the conditions prevailing at the time of sampling
5. Customer complaint register is available at laboratory.



Netel (India) Limited

AMBIENT AIR QUALITY MONITORING REPORT

Name of Organization : M/s. Deepak Fertilisers And Petrochemicals Corporation Limited.						
Address : Talaja Plant Plot K-1, MIDC Industrial Area, P.O. Talaja Dist. Raigad 410208 Maharashtra						
Customers Reference : Work Order no. 4800055893, Dated 24.07.2019						
Date of Sampling	Sample Received Date	Analysis Start Date	Analysis Complete Date	Report on Date		
14.08.2019	16.08.2019	16.08.2019	19.08.2019	20.08.2019		
Sample Type : Ambient Air			Sample Qty. & Packing : Filter Paper (2 nos), Charcoal Tube, Bladder & 50ml Plastic Bottle (4 nos)			
ULR Number : TC670919000004739P						
Location : Main Gate			Sample Code : NIL/AA/08/19/102			
Sr. No.	Test Parameter	Method	Unit	MDL*	Results	NAAQS Limit
1	Particulate Matter (PM ₁₀)	IS 5182 (Part-23)	µg/m ³	10	41.8	100
2	Particulate Matter (PM _{2.5})	NIL/AIR/SOP/03 [†]	µg/m ³	5	23.0	60
3	Sulphur Dioxide (SO ₂)	IS 5182 (Part 02)	µg/m ³	6.6	17.3	80
4	Oxides of Nitrogen (NO _x)	IS-5182 (Part-06)	µg/m ³	4	20.3	80
5	Carbon Monoxide (CO)	IS-5182 (Part-10)	µg/m ³	10	1.09	2 for 8 hrs.
6	Benzene (C ₆ H ₆)	IS-5182 (Part-11)	µg/m ³	1	1.7	5
7	Ammonia (NH ₃)	ISC Part-II (Method-401)	µg/m ³	6	27.5	400
8	Ozone (O ₃)	IS-5182 (Part-09)	µg/m ³	1	8.9	100 for 8 hrs.
9	Benzo - a - Pyrene (BaP)	IS 5182 (Part-12)	ng/m ³	0.5	BDL	1
10	Lead (Pb)	APHA - Air 3 rd Edition (Method 822)	µg/m ³	0.1	0.12	1
11	Arsenic (As)		ng/m ³	1	BDL	6
12	Nickel (Ni)		ng/m ³	1	BDL	20
13	Hydrocarbon (HC)	IS-5182 (Part-11)	µg/m ³	1	0.2	---
14	Sulfur Trioxide (SO ₃)	By Calculation	µg/m ³	8	15.4	---
15	Acid Mist	ICMA Manual (Part 2)	µg/m ³	1	0.3	---
16	Fluoride	IS-5182 (Part-13)	µg/m ³	0.1	0.29	---

Note :

- * MDL – Method Detectible Limit.
- ** BDL – Below Detectible Limit.
- † Laboratory SOP, based on CPCB Guidelines Volumes I & II
- Sampling done by Netel (India) Limited.
- This Test Report shall not be reproduced except in full, without written approval of the Laboratory.
- This Test Report refers only to the sample tested.
- The complaint register is available with the Laboratory as per Environment Protection Act, 1986.

Verified by:

Surekha Jamdar
Surekha Jamdar
Dy. Technical Manager

Issued by:

Shraddha Kere
Shraddha Kere
Technical Manager

End of Report

A Neterwala Group Company

W-408, Rabale MIDC,
TTC Industrial Area,
NAVI MUMBAI - 400 701,
INDIA.


Tel. : + 91 022 2760 7102 / 2760 7103
Fax : + 91 022 2760 7100

E-mail : saies@netel-india.com
Website : www.netel-india.com

CIN : U74999MH2003PLC142228



Regd. office : Liberty Building, 3rd Floor, Sir Vithaldas Thackersey Marg, (New Marine Lines), Mumbai - 400 020. Tel. : 22066231 / 61



एक कदम स्वच्छता की ओर



Netel (India) Limited

AMBIENT AIR QUALITY MONITORING REPORT

Name of Organization : M/s. Deepak Fertilisers And Petrochemicals Corporation Limited.						
Address : Taloja Plant Plot K-1, MIDC Industrial Area, P.O. Taloja Dist. Raigad 410208 Maharashtra						
Customers Reference : Work Order no. 4800055893, Dated 24.07.2019						
Date of Sampling	Sample Received Date	Analysis Start Date	Analysis Complete Date	Report on Date		
25.09.2019	27.09.2019	27.09.2019	30.09.2019	01.10.2019		
Sample Type : Ambient Air			Sample Qty. & Packing : Filter Paper (2 nos), Charcoal Tube, Bladder & 50ml Plastic Bottle (4 nos)			
ULR Number : TC670919000005297P			Sample Code : NII /AA/09/19/178			
Location : Main Gate						
Sr. No.	Test Parameter	Method	Unit	MDL*	Results	NAAQS Limit
1	Particulate Matter (PM ₁₀)	IS-5182 (Part-23)	µg/m ³	10	43.8	100
2	Particulate Matter (PM _{2.5})	NIL/AIR/SOP/03 [†]	µg/m ³	5	21.3	60
3	Sulphur Dioxide (SO ₂)	IS-5182 (Part-02)	µg/m ³	6.5	13.0	80
4	Oxides of Nitrogen (NO _x)	IS-5182 (Part-06)	µg/m ³	4	18.5	80
5	Carbon Monoxide (CO)	IS-5182 (Part-10)	µg/m ³	10	0.95	2 for 8 hrs.
6	Benzene (C ₆ H ₆)	IS-5182 (Part-11)	µg/m ³	1	2.7	5
7	Ammonia (NH ₃)	ISC Part-II (Method-401)	µg/m ³	6	40.6	400
8	Ozone (O ₃)	IS-5182 (Part-09)	µg/m ³	1	10.9	100 for 8 hrs.
9	Benzo - a - Pyrene (BaP)	IS-5182 (Part-12)	ng/m ³	0.5	BDL	1
10	Lead (Pb)	APHA - Air 3 rd Edition (Method 822)	µg/m ³	0.1	0.15	1
11	Arsenic (As)		ng/m ³	1	BDL	6
12	Nickel (Ni)		ng/m ³	1	BDL	20
13	Hydrocarbon (HC)	IS-5182 (Part-11)	µg/m ³	1	22.0	---
14	Sulfur Trioxide (SO ₃)	By Calculation	µg/m ³	8	16.3	---
15	Acid Mist	ICMA Manual (Part 2)	µg/m ³	1	3.4	---
16	Fluoride	IS-5182 (Part-13)	µg/m ³	0.1	0.35	---

Note :

- * MDL – Method Detectible Limit.
- ** BDL – Below Detectible Limit.
- † Laboratory SOP, based on CPCB Guidelines Volumns I & II
- Sampling done by Netel (India) Limited.
- This Test Report shall not be reproduced except in full, without written approval of the Laboratory.
- This Test Report refers only to the sample tested.
- The complaint register is available with the Laboratory as per Environment Protection Act, 1986.

Verified by:

Surekha Jamdar
Surekha Jamdar
 Dy. Technical Manager

Issued by:

Shraddha Kere
Shraddha Kere
 Technical Manager

End of Report

A Neterwala Group Company

W-408, Rabale MIDC, Tel. : + 91 022 2760 7102 / 2760 7103
 TTC Industrial Area, Fax : + 91 022 2760 7100
 NAVI MUMBAI - 400 701,
 INDIA.

E-mail : sales@netel-india.com
 Website : www.netel-india.com
 CIN : U74999MH2003PLC142228



Regd. office : Liberty Building, 3rd Floor, Sir Vithaldas Thackersey Marg, (New Marine Lines), Mumbai - 400 020. Tel. : 22066231 / 61





Netel (India) Limited

AMBIENT AIR QUALITY MONITORING REPORT

Name of Organization : M/s. Deepak Fertilisers And Petrochemicals Corporation Limited.						
Address : Talaja Plant Plot K-1, MIDC Industrial Area, P.O. Talaja Dist. Raigad 410208 Maharashtra						
Customers Reference : Work Order no. 4800055893, Dated 24.07.2019						
Date of Sampling	Sample Received Date	Analysis Start Date	Analysis Complete Date	Report on Date		
25.09.2019	27.09.2019	27.09.2019	30.09.2019	01.10.2019		
Sample Type : Ambient Air			Sample Qty. & Packing : Filter Paper (2 nos), Charcoal Tube, Bladder & 50ml Plastic Bottle (4 nos)			
ULR Number : TC670919000005298P			Sample Code : NIL/AA/09/19/179			
Location : Near IPA Gate						
Sr. No.	Test Parameter	Method	Unit	MDL*	Results	NAAQS Limit
1	Particulate Matter (PM ₁₀)	IS-5182 (Part-23)	µg/m ³	10	43.2	100
2	Particulate Matter (PM _{2.5})	NIL/AIR/SOP/03 [†]	µg/m ³	5	17.8	60
3	Sulphur Dioxide (SO ₂)	IS-5182 (Part-02)	µg/m ³	6.5	10.7	80
4	Oxides of Nitrogen (NO _x)	IS-5182 (Part-06)	µg/m ³	4	16.5	80
5	Carbon Monoxide (CO)	IS-5182 (Part-10)	µg/m ³	10	1.15	2 for 8 hrs.
6	Benzene (C ₆ H ₆)	IS-5182 (Part-11)	µg/m ³	1	3.8	5
7	Ammonia (NH ₃)	ISC Part-II (Method-401)	µg/m ³	6	24.3	400
8	Ozone (O ₃)	IS-5182 (Part-09)	µg/m ³	1	7.6	100 for 8 hrs.
9	Benzo - a - Pyrene (BaP)	IS-5182 (Part-12)	ng/m ³	0.5	BDL	1
10	Lead (Pb)	APHA - Air 3 rd Edition (Method 822)	µg/m ³	0.1	0.22	1
11	Arsenic (As)		ng/m ³	1	BDL	6
12	Nickel (Ni)		ng/m ³	1	BDL	20
13	Hydrocarbon (HC)	IS-5182 (Part-11)	µg/m ³	1	23.0	---
14	Sulfur Trioxide (SO ₃)	By Calculation	µg/m ³	8	13.4	---
15	Acid Mist	ICMA Manual (Part 2)	µg/m ³	1	3.5	---
16	Fluoride	IS-5182 (Part-13)	µg/m ³	0.1	0.22	---

Note :

- * MDL – Method Detectible Limit.
- ** BDL – Below Detectible Limit.
- † Laboratory SOP, based on CPCB Guidelines Volumns I & II
- Sampling done by Netel (India) Limited.
- This Test Report shall not be reproduced except in full, without written approval of the Laboratory.
- This Test Report refers only to the sample tested.
- The complaint register is available with the Laboratory as per Environment Protection Act, 1986.

Verified by:

Surekha Jamdar
Surekha Jamdar
Dy. Technical Manager

Issued by:

Shraddha Kere
Shraddha Kere
Technical Manager

End of Report

A Neterwala Group Company

W 408, Rabale MIDC,
TTC Industrial Area,
NAVI MUMBAI - 400 701,
INDIA

Tel. : + 91 022 2760 7102 / 2760 7103
Fax : + 91 022 2760 7100

E-mail : sales@netel-india.com
Website : www.netel-india.com

CIN : U74999MH2003PLC142228



Regd. office : Liberty Building, 3rd Floor, Sir Vithaldas Thackersey Marg, (New Marine Lines), Mumbai - 400 020. Tel. : 22066231 / 61



RELIANCE**GENERAL
INSURANCE**

A RELIANCE CAPITAL COMPANY

reliancegeneral.co.in
1800 3009**PUBLIC LIABILITY (ACT) INSURANCE POLICY**

(Under Public Liability Insurance Act 1991)

POLICY SCHEDULE

1	Intermediary Details	Agent/Broker Name	Direct
		Agent/Broker License Code	Direct
		Agent/Broker Contact No	NA
2	Proposal Details	Tax Invoice No. & Date GSTIN/UIN of the Insured	P040419116674 & Apr 01, 2019 27AACCA5046P2ZC
		Details of previous policy (if renewal)	Previous policy No Date of expiry
	3	Policy Number	171031927120000003
4	Territory & Jurisdiction	India Only	
5	Name of Insured	SMARTCHEM TECHNOLOGIES LTD	
6	Communication address and Place of Supply	Sai Hira, Survey No 93, Mundhwa, Pune 411036, Maharashtra	
7	Risk Location	Premises owned and occupied by the insured in India	
8	Business	Manufacturing of Ammonia, Methanol, Iso Propyl Alcohol, Propane, Nitric Acid, Ammonium Nitrate, Nitro Phosphate Fertiliser, Sulphur Bentonite Fertiliser, Liquid Carbon Dioxide, Agri business, Trading of Speciality Fertilisers & related products pertaining to Insured's trade	
9	Policy Period	From : Apr 01, 2019 (00.01 hrs) To : March 31, 2020 (23.59 hrs) Both days local standard Time at the address stated above	
10	Turnover for the Policy Period	INR 4,300 Crs.	
11	Indemnity Limit	Any One Accident : INR 50,000,000 Any One Year : INR 150,000,000	
12	Deductible	Nil	
13	Conditions and Exclusion	Subject Otherwise To Terms And Condition Exclusion Of Public Liability (Act) Insurance Policy Wording	
14	Premium Details	Net Premium	INR 25,019.00
		Add : CGST	INR 2,251.50
		Add: SSGT	INR 2,251.50
		Add : ERF Contribution	INR 25,019.00
		Total Premium	INR 54,541.00
15	Claims Notification address	Reliance General Insurance Co. Ltd. Reliance Centre, 4th Floor, South Wing, Near Prabhat Colony, Santacruz (East), Mumbai – 400055, Maharashtra	
16	Address Of Servicing Office	Reliance general insurance co. Ltd. 135 Tadiwala Road Pushpam Plaza, Near Hotel Nandadeep Pune 411001 Maharashtra Phone: 020-30565149	

Reliance General Insurance Company Limited. IRDAI Registration No. 103.

Registered Office: H Block, 1st Floor, Dhirubhai Ambani Knowledge City, Navi Mumbai - 400710.Corporate Office: Reliance Centre, South Wing, 4th Floor, Off Western Express Highway, Santacruz (East), Mumbai - 400 055.

Corporate Identity No. U66603MH2000PLC128300. RGI/MCOM/CO/Policy Schedule/VER. RGI/MCOM/MI-08/PS/Ver. 1.1/030217

Trade Logo displayed above belongs to Anil Dhirubhai Ambani Ventures Private Limited and used by Reliance General Insurance Company Limited under License.

An ISO 9001:2008 Certified Company

Pan No. AABCR6747B

RELIANCE**GENERAL
INSURANCE**

A RELIANCE CAPITAL COMPANY

reliancegeneral.co.in

1800 3009

17	Address Of Issuing Office	Reliance General Insurance Co. Ltd. Reliance Centre, 4th Floor, South Wing, Near Prabhat Colony, Santacruz (East), Mumbai – 400055, Maharashtra
----	---------------------------	---

Note : In the event of dishonor of cheque, this Policy document automatically stands cancelled from inception, irrespective of whether a separate communication is sent or not and the Policy shall in such event be deemed to be void ab initio without any liability whatsoever accruing on the Insurer.

This document shall be treated as a Tax Invoice as per Rule 9(2) of the Goods and Services Tax Invoice Rules.

GSTIN: 27AABCR6747B1ZG SAC: 997139; Description of services: Other non-life insurance services (excluding reinsurance services)

"Consolidated Stamp duty Paid vide Letter of Authorisation No. CSD/310/2019/383/19 dated 25th January 2019.

** Not Applicable for the State of Jammu & Kashmir"

For any assistance on claims, please contact us on 1800 3009 (toll free) and 022 3989 8282 (local charges apply) or email us at services.rgicl@rcap.co.in

"In case of a renewal, the benefits provided under the policy and/or terms and conditions of the policy including premium rate may be subject to change."

"For resolution of any query or grievance, Insured may contact the respective branch office of the Company or may call at 1800 3009 or may write an email at rgicl.services@relianceada.com. In case the insured is not satisfied with the response of the office, insured may contact the Nodal Grievance Officer of the Company at rgicl.grievances@relianceada.com. In the event of unsatisfactory response from the Nodal Grievance Officer, insured may email to Head Grievance Officer at rgicl.headgrievances@relianceada.com. In the event of unsatisfactory response from the Head Grievance Officer, he/she may, subject to vested jurisdiction, approach the Insurance Ombudsman for the redressal of grievance. Details of the offices of the Insurance Ombudsman are available at IRDAI website www.irda.gov.in or on company website www.reliancegeneral.co.in or on www.gbic.co.in. The insured may also contact the following office of the Insurance Ombudsman within whose territorial jurisdiction the branch or office of the Company is located:"

Office of the Insurance Ombudsman, 3rd Floor, Jeevan Seva Annexe, S. V. Road, Santacruz (W), Mumbai - 400 054. Tel.: 022 - 26106552 / 26106960 Fax: 022 - 26106052 Email: bimalokpal.mumbai@gbic.co.in

In witness whereof this policy has been signed at on Pune on Apr 01, 2019

**For and on behalf of
Reliance General Insurance Company Limited**



Authorized Signatory

Reliance General Insurance Company Limited. IRDAI Registration No. 103.

Registered Office: H Block, 1st Floor, Dhirubhai Ambani Knowledge City, Navi Mumbai - 400710.

Corporate Office: Reliance Centre, South Wing, 4th Floor, Off Western Express Highway, Santacruz (East), Mumbai - 400 055.

Corporate Identity No. U66603MH2000PLC128300. RGI/MCOM/CO/Policy Schedule/VER. RGI/MCOM/MI-08/PS/Ver. 1.1/030217

Trade Logo displayed above belongs to Anil Dhirubhai Ambani Ventures Private Limited and used by Reliance General Insurance Company Limited under License.

An ISO 9001:2008 Certified Company

Pan No. AABCR6747B



PUBLIC LIABILITY (ACT) INSURANCE POLICY
(Under Public Liability Insurance Act 1991)

1. OPERATIVE CLAUSE

Whereas the Insured Owner named in the Schedule hereto and carrying on business described in the said schedule has applied to **RELIANCE GENERAL INSURANCE COMPANY LIMITED** (hereinafter called the Company) for the indemnity hereinafter contained and has made a written proposal and declaration which shall be the basis of this contract and is deemed to be incorporated herein and has paid the premium and statutory contribution towards the Environment Relief Fund as per the provisions of the Public Liability Insurance Act and the rules framed thereunder.

NOW THIS POLICY WITNESSETH that subject to the terms, exceptions and conditions contained herein or endorsed hereon, the company will indemnify the insured owner against the statutory liability arising out of accidents occurring during the currency of the Policy due to handling hazardous substances as provided for in the said Act and the Rules framed thereunder.

2. DEFINITIONS :

- a) **"ACT"** unless otherwise specifically mentioned shall mean the Public Liability Insurance Act, 1991 as amended from time to time.
- b) **"ACCIDENT"** means an accident involving a fortuitous, sudden or unintentional occurrence while handling any hazardous substance resulting in continuous, intermittent or repeated exposure to death or injury to any person or damage to any property but does not include an accident by reason only of war or radioactivity.
- c) **"HANDLING"** in relation to any hazardous substance means the manufacture, processing, treatment, package, storage, transportation by vehicle, use, collection, destruction, conversion, offering for sale, transfer or the like of such hazardous substance.
- d) **"HAZARDOUS SUBSTANCE"** means any substance or preparation which is defined as hazardous substance under the Environment (Protection) Act 1986, and exceeding such quantity as may be specified, by notification, by the Central Government :
- e) **"OWNER"** means a person who owns, or has control over handling any hazardous substance at the time of accident and includes :
 - i) in the case of a firm, any of its partners;
 - ii) in the case of an association, any of its members, and
 - iii) in the case of a company, any of its directors, managers, secretaries or other officers who is directly in charge of and is responsible to the company for the conduct of the business of the company
- f) **"TURNOVER"** shall mean
 - i) Manufacturing units – Entire Annual Gross Sales Turnover including all levies and taxes of manufacturing units handling hazardous substances as defined in the PLI Act 1991. For the purpose of this insurance, the term "Units" shall mean all operations being carried out in the manufacturing complex in one location.
 - ii) Godowns/warehouse owners - - Total Annual rental receipts of premises handling hazardous substances as defined in the PLI Act 1991

- iii) Transport Operators - Total Annual freight receipts
- iv) Others - Total Annual gross receipts

3. EXCLUSIONS :

This Policy does not cover liability :

1. Arising out of wilful or intentional non-compliance of any statutory provisions
2. In respect of fines, penalties, punitive and/or exemplary damages
3. Arising under any other legislation except in so far as provided for in Section 8, Sub-section (1) & (2) of the Act.
4. In respect of damage to property owned, leased or hired or under hire purchase or on loan to the Insured or otherwise in the Insured Owner's control, care or custody.
5. Directly or indirectly occasioned by happening through or in consequence of war, invasion, act of foreign enemy, hostilities (whether war be declared or not), civil war, rebellion, revolution, insurrection or military or usurped power.
6. Directly or indirectly caused by or contributed to by
 - a) ionising radiation or contamination by radioactivity from any nuclear fuel or from any nuclear waste from the combustion of nuclear fuel.
 - b) The radioactive, toxic, explosive or other hazardous properties of any explosive nuclear assembly or nuclear component thereof.

4. CONDITIONS :

1. The Insured Owner shall give written notice to the Company as soon as reasonably practicable of any claim made against the Insured Owner or of any specific event or circumstance that may give rise to a claim. The Insured Owner shall immediately give to the Company copies of notice of applications forwarded by the Collector and all such additional information and or assistance that the company may require.
2. No admission, offer, promise or payment shall be made or given by or on behalf of the Insured owner under this policy without the written consent of the Company.
3. The Company shall not be liable for any claim for relief made after five years from the date of occurrence of the accident.
4. The Insured Owner shall keep record of annual turnover, and at the time of renewal of insurance declare such turnover and all other details as may be required by the Company. The Company shall at all reasonable times have full rights to call for and examine such records.
5. If at the time of happening of any accident resulting in a claim under this policy there be any other insurance covering the same liability, then the Company shall not be liable to pay or contribute more than its rateable proportion of such liability.
6. This Policy may be cancelled by the Insured Owner by giving 30 days notice in writing to the company in which event the Company will retain premium at short period scale subject to there not having occurred

an accident during the policy period which may give rise to a claim (s), failing which no refund of premium shall be allowable.

7. This Policy may also be cancelled by the Insurer by giving 30 days notice in writing to the Insured Owner in which event the Company shall be liable to repay on demand a rateable proportion of the premium for the unexpired term from the date of cancellation.
8. If the Company shall disclaim liability to the Insured Owner for any claim hereunder and such claim shall not within 12 calendar months from the date of such disclaimer have been made the subject matter of a suit in a competent court of law, then the claim for all practical purposes shall be deemed to have been abandoned and shall not thereafter be recoverable hereunder or be made the subject matter of any suit.
9. The Company shall not be liable to make any payment in respect of any claim if such claim shall be in any manner fraudulent or supported by any person on behalf of the Insured Owner and/or if the insurance has been continued in consequence of any material mis-statement or non-disclosure of any material information by or on behalf of the Insured Owner. In such a case if the Company pays any amount to the claimant due to any statutory provision such amount shall be recoverable from the Insured Owner.
10. The Policy and the Schedule shall be read together as one contract and any word or expression to which a specific meaning has been assigned in the Act and the Rules framed thereunder or this Policy shall bear such specific meaning.
11. Any dispute regarding interpretation of the terms, conditions and exceptions of this Policy shall be determined in accordance with the law and practice of "court of competent Jurisdiction within India".

**For and on behalf of
Reliance General Insurance Company Limited**



Authorized Signatory